USP-2

REVOLUTIONIZE YOUR END-OF-LINE [PACKAGING] PERFORMANCE



Fully Automatic Strapping Machine



Standard 3 Heat Sealer

Ð



Ē



ଡ଼ୖ

Machine Options Available



A

USP-2

FULLY AUTOMATIC STRAPPING MACHINE FOR MAILING TRAYS

The USP-2 features a unique strapping arm that straps all standard corrugated and plastic corrugated full-sized and half-sized mailing trays lengthwise in the direction of the conveyor.

The system has two operation modes; 'Bypass' and 'Automatic'. In Bypass mode, the conveyor belts run continuously without strapping. Automatic mode straps every bundle with one strap. The conveyor belts move the tray until it trips the photo control switch, which initiates the strapping sequence.



TECHNICAL SPECIFICATIONS

Production Rate

Up to 30 trays per minute

Product Size

Standard corrugated and plastic corrugated full and halftrays

Track Size

_ _ _ _ _ _

One Size

Electrical

220v-440v 60 Hz, 0.5 KVA 3 phase

Conveyor

Belt Conveyor

Table Height

Adjustable from 26.6" (675mm) - 36.6" (930mm)

Strapping Heat sealer runs 5mm PP strap

Strap Tension

Manually adjustable

Strap Seal Heat seal with DC brushless direct drive motor

.....

Machine Shipping Weight

Approx. 770 Lbs. (349 Kg)

Casters

Four heavy-duty swivel casters.


OPTIONS

+ Trouble light and low strap indicator




Want to see the USP-2 in action? Use the QR code to learn more.

MACHINE DIMENSIONS



Typical tray feeding & take-away conveyor layout



CONTACT US FOR A FREE CONSULTATION TODAY www.eammosca.com | info@eammosca.com

U.S.A, Latin America & The Caribbean

EAM-Mosca Corporation

675 Jaycee Drive, Hazle Township, PA 18202 Phone: +1 800.456.3420 / +1 570.459.3426 Fax: 570.455.2442

Canada

EAM-Mosca Canada Ltd.

 170 William Smith Drive, Whitby, Ontario, L1N 9N3

 Phone:
 +1 800.633.6392 / +1 905.665.8225

 Fax:
 905.665.8188

