

TRC-6 SoniXs®

Strapping Machine



KEY FEATURES

A

Fully Automatic



Standard 6 Sealer



Up to 2600mm Wide



Up To 30



Pneumatic Dual Press



Optional Dual Dispenser



Optional Small Bundle Transport

SONIXS
PERFORMANCE BY MOSCA

Application: Corrugated Bundles



The TRC6-SoniXs® offers a rugged roller bed transport system with SoniXs® welding technology for maximum uptime.

Easy tool-less disassembly of all critical components, including lift-out conveyors, ensure reduced maintenance requirements. Its variable speed conveyor, dual press, and rotating operator pendant make the TRC6 an ideal choice for various applications.

TRC-6 SoniXs®

Strapping Machine

PRODUCTION RATE	Up to 30 bundles per minute
TRACK SIZE	Standard Widths: 1650mm (65"), 1250mm (49") Other widths available: 1000mm, 2200mm, 2600mm Height: 466mm with press, 590mm without press
ELECTRICAL	200 - 575V 50/60 Hz, 1.3 kVA, 3 Ph.
AIR REQUIREMENTS	4 CFM @87 PSI
CONVEYOR	Extruded splined roller conveyor bed. Easy tool-less removal.
CONVEYOR SPEED	Variable 30 - 180 FPM
CONVEYOR HEIGHT	Outriggers Required: 25.5" - 30.4" Standard: 30.5" - 39.4" 1 Riser required: 39.5" - 47" 2 Risers + Outriggers required: 47.1" - 54" 3 Risers + Outriggers required: 54.1" - 61.5"
STRAPPING	Standard: 5mm Polypropylene (PP) Other strap sizes available on request
STRAP TENSION	Infinitely adjustable from 10 - 60 Lbs.
STRAP SEAL	Standard: SoniXs® Ultrasonic Seal Optional: Heat Seal DC brushless direct drive motors
SEAL LOCATION	Center bottom seal
MACHINE SHIPPING WEIGHT	Approx. 1650 Lbs. (depending on model)
CASTERS	Four swivel-lock casters
ADDITIONAL OPTIONS	• Dual Dispenser • Light Tower • Small Bundle Transport • Back Stop • Protective Guarding • Heat Sealer (to replace SoniXs® sealer)



Shown: TRC6-1650 with Standard Conveyor Height
 See next page for additional track sizes and dimensions.

Please visit our website for more information about Mosca's SoniXs® technology.

U.S.A, Latin America and Caribbean:

EAM-Mosca Corporation

675 Jaycee Drive
 Hazle Township, PA 18202

800.456.3420

570.459.3426

570.455.2442

info@eammosca.com

www.eammosca.com

Canada:

EAM-Mosca Canada Ltd.

170 William Smith Drive
 Whitby, Ontario, L1N 9N3

800.633.6392

905.665.8225

905.665.8188



info@eammosca.com

www.eammosca.com

TRC-6 SoniXs®

Strapping Machine

MACHINE ARCH SIZE											
		1000 x 600		1250 x 600		1650 x 600		2200 x 600		2600 x 600	
		Inches	mm	Inches	mm	Inches	mm	Inches	mm	Inches	mm
A		18.1	460	18.1	460	18.1	460	18.1	460	18.1	460
B		39.37	1000	49.21	1250	64.96	1650	86.61	2200	102.36	2600
C	Outrigger Height	25.5-30.4	648-772	25.5-30.4	648-772	25.5-30.4	648-772	25.5-30.4	648-772	25.5-30.4	648-772
	Standard Height	30.5-39.4	775-1001	30.5-39.4	775-1001	30.5-39.4	775-1001	30.5-39.4	775-1001	30.5-39.4	775-1001
	+1 Riser Height	39.5-47	1003-1194	39.5-47	1003-1194	39.5-47	1003-1194	39.5-47	1003-1194	39.5-47	1003-1194
D	+2 Risers + Outriggers Height	47.1-54	1196-1372	47.1-54	1196-1372	47.1-54	1196-1372	47.1-54	1196-1372	47.1-54	1196-1372
	+3 Risers + Outriggers Height	54.1-61.5	1374-1562	54.1-61.5	1374-1562	54.1-61.5	1374-1562	54.1-61.5	1374-1562	54.1-61.5	1374-1562
E		86.14	2188	86.14	2188	102	2588	123.54	3138	139.29	3538



U.S.A, Latin America and Caribbean:

EAM-Mosca Corporation

675 Jaycee Drive
Hazle Township, PA 18202

800.456.3420

570.459.3426

570.455.2442

info@eammosca.com

www.eammosca.com

Canada:

EAM-Mosca Canada Ltd.

170 William Smith Drive
Whitby, Ontario, L1N 9N3

800.633.6392

905.665.8225

905.665.8188

info@eammosca.com

www.eammosca.com